

# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab




IRIS - Innovative Research  
Infrastructure on applied  
Superconductivity

PNRR - M4C2I3.1 (2022-2025): Innovative Research Infrastructure on applied Superconductivity (IRIS), Prot. IR0000003, Avviso n. 3264 del 28/12/2021 "Rafforzamento e creazione di IR nell'ambito del Piano Nazionale di Ripresa e Resilienza (PNRR), Total Funding 60 M€



European Magnetic Field Laboratory



UE-H2020-INFRADEV-2018-2020 (2020-2024): Improving the sustainability of the European Magnetic Field Laboratory (ISABEL), Grant No. 871106, EC funding: 4.9 M€, Work programme topic addressed: Development and long-term sustainability of new pan-European research infrastructures), Topic: INFRADEV-03-2018-2019 - Individual Support To ESFRI And Other World-Class Research Infrastructures.



# UNIVERSITÀ DEL SALENTO

*The University of the two seas*



UNIVERSITÀ  
DEL SALENTO



research@omnics.it


<http://www.omnics.it/home/>



# Omnics / from quantum physics to lab on chip



UNIVERSITÀ  
DEL SALENTO






# Omnicos / from quantum physics to lab on chip

The [Omnicos Research group](#) is an interdisciplinary research group established in joint labs among the [University of Salento](#), [CNR](#) and [INFN](#) and operating as a EU and IT research infrastructure.



*Electronics, Magnetism, Quantum Phys.,  
Microscopy, Functional Materials, Sensing,  
Lab-on-chip, Prototyping*






# Omnicos / from quantum physics to lab on chip

The [Omnicos Research group](#) is an interdisciplinary research group established in joint labs among the [University of Salento](#), [CNR](#) and [INFN](#) and operating as a EU and IT research infrastructure.






**Electronics, Magnetism, Quantum Phys., Microscopy, Functional Materials, Sensing, Lab-on-chip, Prototyping**





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

O<sup>m</sup><sub>n</sub>ics  
Research  
group



Giuseppe  
Maruccio



Anna Grazia  
Monteduro



Silvia  
Rizzato



Angelo  
Leo



Ritu  
Rawat



Sourav  
Kuila



Emanuele  
Piccinno




Saba  
Aziz



Andrea  
Margari



Giusi  
Caragnano



Noemi  
Petese



Antonella  
Giacobelli





Eleonora  
Giannotta

**Past members:** I. C. Lekshmi, S. Karmakar, E. Primiceri, M. S. Chiriaco, A. Turco, S. Kumar, Z. Ameer, F. Sirsi

**Former PhD students:** G. Marzano, A. Milone, I. Buja, G. Siciliano, S. Zoupanou



UNIVERSITÀ  
DEL SALENTO



research@omnics.it

<http://www.omnics.it/home/>



# Omnics Labs as EU and IT research infrastructures



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab



The EMFL provides access to the **highest continuous and pulsed fields in Europe.**

[Apply for Magnet Time - EMFL](#)

EMFL and ISABEL partners provide new access schemes for :

- Fast track access
- Long-term access
- Industrial access
- Dual access
- First-time access

Deployment and test of a dual-access procedure to regional partner facilities and to EMFL




- Selection Committee judges the proposed experiments on scientific excellence.
- Proposals on a **broad range** of themes welcomed: magnetism, applied superconductors, semiconductors....



# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## IRIS PNRR project



Open and transational access to the  
infrastructure granted jointly with EMFL-ISABEL



UNIVERSITÀ  
DEL SALENTO



OMNICS  
research group



EMFL  
European Magnetic Field Laboratory

research@omnics.it

<http://www.omnics.it/home/>





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

*Italian Community  
(magnetism)* ➔

JRU



UNIVERSITÀ  
DEL SALENTO



research@omnics.it

<http://www.omnics.it/home/>
















# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Motivation and Impact

High magnetic fields are among the most powerful tools available to scientists today to

- study, modify and control states of matter in extreme conditions
- develop new materials and technologies capable of responding to the major challenges of modern society
- from basic research to applications in
- electronics and spintronics,
- data storage,
- quantum computing,
- energy,
- mobility,
- sensors,
- biomedical sector.








# Omnics Labs : Facilities and Main Equipment



UNIVERSITÀ  
DEL SALENTO





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Laboratory for Magnetism and Superconductivity



*Cryogenic superconducting magnet  
(10.5 T, 0.3-300 K)*



*Oxford dilution refrigerator (down  
to 10 mK, vector magnet 6T/1T/1T)*



*Lakeshore Cryogenic RF probe  
station (8 K, 0.5 T and 70 GHz)*




*close-cycle  
SQUID  
magnetometer*

## NEW INSTRUMENTATION @ 2024


*close-cycle superconducting  
magnet for physical  
properties measurement*



*scanning probe microscope  
for material characterization*



*split pair cryogen-free magnet  
system for combined magneto-  
optical and FMR measurements*



*ZNA vector network  
analyzer @ 67 GHz*

## EU and IT infrastructures




## EU / EMFL-ISABEL



## IT Magnetism Network



UNIVERSITÀ  
DEL SALENTO



research@omnics.it

<http://www.omnics.it/home/>

IT / IRIS



# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Infrastructure for Magnetism and Superconductivity

- present status



*Cryogenic superconducting magnet (10.5 T, 0.3-300 K)*




*Oxford dilution refrigerator (down to 10 mK, vector magnet 6T/1T/1T)*



*Lakeshore EMPX-HF Cryogenic RF probe station (8 K, 0.5 T and 70 GHz)*

# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

Cryogenic Lab for spintronics, magnetotransport and magnetometry





*Cryogenic superconducting magnet (10.5 T, 0.3-300 K)*



# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

LT/RF spintronics Lab for magnonics and quantum computation






*Lakeshore EMPX-HF Cryogenic RF probe station (8 K, 0.5 T and 70 GHz)*



# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## LT/RF spintronics Lab for magnonics and quantum computation



*Oxford dilution refrigerator (down to 10 mK, vector magnet 6T/1T/1T)*





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

Lab for magneto-optical, magnonic and FMR measurements











# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Transport / Electronics Lab

*B1500 Parameter Analyzer*




*Keysight E4980AL Precision LCR Meter, 20 Hz-1MHz*




# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Transport / Electronics Lab

### • Present Status – Main Electronics Equipment



*B1500 Parameter Analyzer*




*Agilent MXA N9010 spectrum analyzer,  
10kHz-26.5GHz*




*Agilent MXG N5183A signal generator,  
100kHz-20GHz*



*Rohde & Schwarz SMA100B Signal  
Generator, 8kHz-20 GHz*



*Keysight ENA  
Network/Impedance  
Analyzer E5061B*



*ultrafast digital sampling  
oscilloscope (Tektronix DSA8300)*



*Keysight E4980AL Precision LCR Meter, 20 Hz-1MHz*




*Trek High  
Voltage amplifier*



**Fondazione Puglia**



**UNIVERSITÀ  
DEL SALENTO**



[research@omnics.it](mailto:research@omnics.it)







<http://www.omnics.it/home/>



# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Physical Sensors & Detectors Lab


Keysight ENA  
Network/Impedance  
Analyzer E5061B





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab


## Lab-on-chip & Biosensors Lab





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Spectroscopy Lab - UV/VIS/NIR & SPR

*Deuterium-Halogen light source, 190-2500 nm*






*UV/VIS/NIR spectrometer, 200-1100 nm*





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

## Materials Dep. Lab & Clean Room facility





Finanziato  
dall'Unione europea  
NextGenerationEU



Ministero  
dell'Università  
e della Ricerca



Italiadomani  
PIANO NAZIONALE  
DI RIPRESA E RESILIENZA



## 2024 Development


*close-cycle SQUID  
magnetometer*




*close-cycle superconducting magnet  
for physical properties measurement*



*scanning probe microscope  
for material characterization*



*split pair cryogen-free magnet system for  
combined magneto-optical and FMR  
measurements*



*ZNA vector network analyzer @ 67 GHz*



UNIVERSITÀ  
DEL SALENTO



OMNICS  
research group






Finanziato  
dall'Unione europea  
NextGenerationEU



Ministero  
dell'Università  
e della Ricerca




Italiadomani  
PIANO NAZIONALE  
DI RIPRESA E RESILIENZA




# Joint Lab with Quantum Design


## • Magnetometry



*Cryogenic superconducting magnet (10.5 T, 0.3-300 K)*



From  $10^{-6}$  emu  
to  $10^{-8}$  emu



+ more  
options

## close-cycle SQUID magnetometer



- VSM sensibility: better than  $1 \times 10^{-8}$  emu (at  $<0.25$  T) with average on less than 10 sec
- VSM sensibility: better than  $8 \times 10^{-8}$  emu (at  $>0.25$  T) with average on less than 10 sec
- DC sensibility:  $5 \times 10^{-8}$  emu (at  $<0.25$  T)
- DC sensibility:  $6 \times 10^{-7}$  emu (at  $>0.25$  T)

### •DC extraction

- Rotator
- Pressure cell
- 1000 K oven
- Electrical excitation
- Optical excitation


### •Vibrating sample magnetometry (VSM)

- FORC option
- 1000 K oven
- Fiber optic sample mount
- Electrical excitation
- Optical excitation

### •Ultra-low field measurements

### •AC susceptibility

### •He3 option & sub-mK capability



Measurement of a ferromagnetic thin film sample with perpendicular anisotropy on a substrate. Results are shown for 22 T moment versus field loop at 4 different angles from 0 to 90 degree sample rotation.



UNIVERSITÀ  
DEL SALENTO



OMNICS  
research group



Finanziato  
dall'Unione europea  
NextGenerationEU



Ministero  
dell'Università  
e della Ricerca




Italiadomani  
PIANO NAZIONALE  
DI RIPRESA E RESILIENZA




# Joint Lab with Quantum Design


## • Magnetotransport and Physical Properties Measurements



*Cryogenic superconducting magnet (10.5 T, 0.3-300 K)*



*close-cycle superconducting magnet for  
physical properties measurement*



*Sample space, more possibilities for phys. properties  
measurements with dedicated probes*

### Features

- No need for liquid cryogenes
- Temperature range of 1.8 K – 400 K
- 9 T magnets available
- Continuous Low-Temperature Control
- Controlled temperature Sweep Mode

### PPMS options

Electrical Transport  
Magnetometry  
Thermal Measurements  
Sub-Kelvin Capabilities  
Multi-Function Probes  
FMR Spectroscopy  
Optics



UNIVERSITÀ  
DEL SALENTO



OMNICS  
research group





Finanziato  
dall'Unione europea  
NextGenerationEU



Ministero  
dell'Università  
e della Ricerca







Italiadomani  
PIANO NAZIONALE  
DI RIPRESA E RESILIENZA



# attocube attoDRY2200 AFM/MFM/PFM Lab


- scanning probe microscope for material characterization




MFM for Optimization of Sintered Magnets  
T. Helbig and O. Gutfleisch, Functional  
Materials Group, TU Darmstadt, Germany  
and Fraunhofer IWKS Hanau, Germany

*Literature examples  
from users*

Magnetic domain structure in the  
ferrimagnetic state of Co doped  
 $\text{Mn}_2\text{Sb}$  single crystal  
Rajeev Rawat, UGC-DAE Consortium  
for Scientific Research, Indore, India



Visualization of Edge State in  
LPCMO Manganite Strip  
K. Du, K. Zhang, and J. Shen,  
Fudan University, Shanghai,  
China



**Controlled manipulation of individual  
vortices in a superconductor**

Appl. Phys. Lett. **93**, 172514  
(2008); <https://doi.org/10.1063/1.3000963>  
E. W. J. Straver, J. E. Hoffman, O. M.  
Auslaender, D. Rugar, and Kathryn A. Moler



UNIVERSITÀ  
DEL SALENTO




OMNICS  
research group



Finanziato  
dall'Unione europea  
NextGenerationEU



Ministero  
dell'Università  
e della Ricerca




Italiadomani  
PIANO NAZIONALE  
DI RIPRESA E RESILIENZA




# Laboratory for Magnetism and Superconductivity

- Magneto-optical and FMR measurements



*split pair cryogen-free  
magnet system for combined  
magneto-optical and FMR  
measurements*



Ø45mm optical windows

Ø60mm optical windows

*Lakeshore EMPX-HF Cryogenic RF probe station (8 K, 0.5 T and 70 GHz)*



UNIVERSITÀ  
DEL SALENTO



OMNICS  
research group



# Omnicos Labs : Main Research Activities












UNIVERSITÀ  
DEL SALENTO




# Nanospintronics

***I. C. Lekshmi et al., Acs Nano, 5, 1731-1738 (2011)***





# Supercrystals










*I. C. Lekshmi et al., Science of Advanced Materials 5, 2015-2020 (2013)*




# Functional materials for electronics/spintronics

## High $k$ (YCTO)

## Multiferroics ( $\text{BiFeO}_3$ )



PUND: Positive **U**p Negative **D**own




*J. Mater. Chem. C*, 4, 1080-1087 (2016)  
*J. Phys. D: Appl. Phys.* 49, 405303 (2016)  
*Microelectron. Eng.* 194, 15-18 (2018)  
*Phys. Status Solidi A-Appl. Mat.* 216, 3 (2019).





# SAW devices – delay lines

*J. Micromech. Microeng.* 27, 125002 (2017)  
*Microelectron. Eng.* 202, 31-36 (2018)  
*Biosensors* 13, 197 (2023)



## Optimization






## Harmonics







## Time-resolved transmitted signal response



# SAW devices - resonators








*J. Micromech. Microeng.* 27, 125002 (2017)  
*Microelectron. Eng.* 202, 31-36 (2018)  
*Biosensors* 13, 197 (2023)






# Nanotriangle, nanoholes, nanodisks by colloidal lithography



**+etching**


*Beilstein J. Nanotech.*, **2018**, 9, 1582  
*Chemosensors* **2021**, 9, 10

# Towards quantum technologies with hybrid systems






# Magnon Polaritons / Strong coupling (1/2)



## Anticrossing and magnon-polaritons


near  $\text{TE}_{101}$

near  $\text{TE}_{102}$



Strong coupling between fundamental mode in the YIG sphere and the  $\text{TE}_{101}$  and  $\text{TE}_{102}$  cavity modes.

Magnon mode damping rate:  
 $\kappa_m$  ( $m = \text{FMR, MSMs}$ )  
 Magnon mode at  
 $\omega_m$  ( $m = \text{FMR, MSMs}$ )



Cavity mode at:  
 $\omega_c$   
 Total cavity decay rate:  
 $\kappa_c = \frac{1}{2}(2\kappa_{i,o} + \kappa_{int})$

Coupling strength  
 $g_m$  ( $m = \text{FMR, MSMs}$ )

A. Leo et al. Phys Rev B 101, 014439 (2020)

# Magnon Polaritons / Strong coupling (2/2)







## Rabi oscillations

$$P\left(\frac{\omega_i}{2\pi}\right) \propto A_i \cdot \log \left[ \sin^2\left(\frac{g_i}{2\pi} t\right) \cdot \exp\left(-\frac{2\kappa_c - \kappa_{int}}{2\pi} t\right) \right]$$



Coupling among resonators    MW cavity relaxation


Rabi's oscillations between  
TE<sub>101</sub> and Kittel mode







# Magnetoresistive sensors



Detection of neurodegenerative diseases  
biomarkers from biological fluids








Magnetic nanoparticles functionalized  
with antibodies



Magnetoresistive sensors



# Sensors & Biosensors




Diagnostics




Food & Environment



# Gas Sensors (in collaboration with IBM)



A. Milone, A. G. Monteduro, S. Rizzato, A. Leo, C. Di Natale, S. S. Kim and G. Maruccio, *Advances in Materials and Technologies for Gas Sensing from Environmental and Food Monitoring to Breath Analysis*, ***Advanced Sustainable Systems*** **2023**, Vol. 7, p. 2200083, issn. 2366-7486, <http://dx.doi.org/https://doi.org/10.1002/adsu.202200083>.



# Lab on a chip



## MULTIGNOSTICS

- ✓ Response time < 1 hour
- ✓ Cost < 5 euros
- ✓ Multi - parameters tests +
- ✓ Low reagents consumption
- ✓ No skilled people
- ✓ Portability
- ✓ Modularity / scalability
- ✓ Automated sample handling


### APPLICATION AREAS

- ✓ Diagnostics
- ✓ Pharmaceuticals
- ✓ Chemical Synthesis
- ✓ Drug tests
- ✓ Cell biology
- ✓ Water & food quality
- ✓ Environmental monitoring







# Multipurpose applications




## MEDICAL DIAGNOSTICS





### 1. Immunoassay: PSA & PDAC



Lab on a Chip 13, 730 (2013).  
Analyst 138, 5404 (2013)  
[R] Sensors 18, 3175 (2018)  
[R] Sensors 18, 3607 (2018)  
Biosens. Bioelectron. 128, 122 (2019)




### 2. Cytotoxicity, Migration & Proliferation assays



Biosens. Bioelectron. 25, 2711–2716 (2010)  
Lab on a chip, 11, 4081, (2011)  
Lab on a Chip 13, 3789 (2013)  
Biosens. Bioelectron. 79, 9-14 (2016)  
[R] Biotechnology Advances 40, 107498 (2020)  
International Journal of Molecular Sciences 22, 12 (2021)




## FOOD / ENVIRONMENT




Talanta 2015, 142, 57-63.  
Analytical Methods, 2016, 8, 3055-3060.  
[R] Foods 2014, 3 (3), 511  
Sci Rep 8, 7376 (2018)  
[R] Micromachines 11, 491 (2020)  
Biosensors 10, 64 (2020)  
[R] Sensors 21, 22 (2020)  
Biosensors 12, 12 (2022)

# Liquid Biopsies





Z. Qi et al., *J Cancer* 2018; 9(18):3417-3426,  
doi:10.7150/jca.24591

G. De Rubis et al, Trends in  
Pharmacological Sciences, 2019  
[doi.org/10.1016/j.tips.2019.01.006](https://doi.org/10.1016/j.tips.2019.01.006)








| Event              | Cancer screening   | Localized cancer                                  | Metastatic cancer                           | Refractory cancer                         |
|--------------------|--------------------|---------------------------------------------------|---------------------------------------------|-------------------------------------------|
| Treatment Strategy | Early intervention | Risk of dissemination and detection of recurrence | Treatment selection and monitoring response | Mechanism of resistance and new treatment |



Trends in Pharmacological Sciences





# Drug screening on chip



E. Piccinno et al., International Journal of Molecular Sciences **2021**, 22, 13090, doi:10.3390/ijms222313090.




# Organ-on-chip



A. G. Monteduro, S. Rizzato, G. Caragnano, A. Trapani, G. Giannelli and G. Maruccio, *Organs-on-chips technologies – A guide from disease models to opportunities for drug development*, **Biosensors and Bioelectronics** 2023, Vol. 231, p. 115271, issn. 0956-5663, <http://dx.doi.org/https://doi.org/10.1016/j.bios.2023.115271>.







# LOC Detection of Ampelovirus and Nepovirus



Buja et al., *Biosensors* **2022**, 12(3), 147;  
<https://doi.org/10.3390/bios12030147>

# Prototyping





# Omnicos Labs : Dissemination



UNIVERSITÀ  
DEL SALENTO




# Omnicos Lab Exhibits - European Researchers Night



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>



UNIVERSITÀ  
DEL SALENTO



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>





# Omnicos Lab Exhibits - MagLev demonstrator



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>





UNIVERSITÀ  
DEL SALENTO




Consiglio  
Nazionale delle  
Ricerche



Istituto Nazionale di Fisica Nucleare



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>





# Omnicos Lab Exhibits - MagLev demonstrator



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>




UNIVERSITÀ  
DEL SALENTO




Consiglio  
Nazionale delle  
Ricerche



Istituto Nazionale di Fisica Nucleare



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>





# Omnicos Lab Exhibits - MagLev demonstrator



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>




UNIVERSITÀ  
DEL SALENTO




Consiglio  
Nazionale delle  
Ricerche



Istituto Nazionale di Fisica Nucleare



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>






# Omnicos Lab Exhibits - SandBox demonstrator



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>




UNIVERSITÀ  
DEL SALENTO



Consiglio  
Nazionale delle  
Ricerche



Istituto Nazionale di Fisica Nucleare



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>





# Omnicos Lab Exhibits - Non-Newtonian Pool




<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>




UNIVERSITÀ  
DEL SALENTO



Consiglio  
Nazionale delle  
Ricerche



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>







# Omnicos Lab Exhibits - European Researchers Night



<https://www.ern-apulia.it/enti/infrastrutture-di-ricerca-emfl-isabel-iris/>



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)

<http://www.omnics.it/home/>





# Omnicos Labs : Thanks



UNIVERSITÀ  
DEL SALENTO



[research@omnics.it](mailto:research@omnics.it)





# EMFL-ISABEL-IRIS Infrastructure / Omnics Lab

**Thanks to:**



European Magnetic Field Laboratory



Associazione Italiana di Magnetismo

- ➡ Prof. Giuseppe Maruccio
- ➡ Dr. Anna Grazia Monteduro (RTD-A)
- ➡ Dr. Silvia Rizzato (RTD-A)
- ➡ Dr. Angelo Leo (RTD-A)



PIANO NAZIONALE DI RIPRESA E RESILIENZA



European Researchers Night – ERN-Apulia



UNIVERSITÀ DEL SALENTO



Consiglio Nazionale delle Ricerche



Istituto Nazionale di Fisica Nucleare



UNIVERSITÀ DEL SALENTO



research@omnics.it

<http://www.omnics.it/home/>







*nature*

*Otranto, Lecce*

*art*



*history*